

# Commercial Vacuums

# STANDARD VACUUMS



**Backpack Vacuum**



**Commercial Vacuum**



**Commercial Tilt Vacuum**



**Commercial Pump-Out Vacuum**



Specifications	BPV-100	EV-30	EV-60-T	EV-60-P
<b>Motor(s):</b>	Single	Single	Twin	Twin
<b>Motor Power:</b>	1.2 HP	1.6 HP	2 HP (Total)	2 HP (Total)
<b>Input Power:</b>	8 Amps, 115 V, 50/60 Hz AC Optional 4 Amps, 230 V, 50/60 Hz AC	10 Amps, 115 V, 50/60 Hz AC Optional 5 Amps, 230 V, 50/60 Hz AC	16 Amps, 115 V, 50/60 Hz AC Optional 8 Amps, 230 V, 50/60 Hz AC	16 Amps, 115 V, 50/60 Hz AC Optional 8 Amps, 230 V, 50/60 Hz AC
<b>Power Supply Cord:</b>	50', 16-3	27', 16-3	27', 16-3	27', 16-3
<b>Air Requirements:</b>	•	•	•	•
<b>Static Water Lift:</b>	92"	85"	82"	82"
<b>Air Displacement:</b>	95 CFM	90 CFM	120 CFM	120 CFM
<b>Filtration:</b>	1 Microns Paper	15 Microns Polyester	15 Microns Polyester	None (Wet Pick-Up Only)
<b>Tank:</b>	•	8.4 Gallons Stainless Steel	20.6 Gallons Stainless Steel	20.6 Gallons Stainless Steel
<b>Dry Capacity:</b>	1½ Gallons	5 Gallons	14 Gallons	•
<b>Wet Capacity:</b>	•	5.8 Gallons	12 Gallons	11 Gallons
<b>Noise Level:</b>	76 dBA	78 dBA	79 dBA	79 dBA
<b>Special Features:</b>	Backpack	•	Tilt Tank	Internal Pump, Over 50 GPM Flow
	•	•	Roll-Vac Attachment Available	Roll-Vac Attachment Available
<b>Dimensions:</b>	22" High x 10" Wide x 7" Deep	13" Diameter Tank x 28" High	17" Diameter Tank x 38" High	17" Diameter Tank x 38" High
<b>Weight:</b>	9 Lbs	22 Lbs	53 Lbs	69 Lbs
<b>Accessories/Prices:</b>	See Page 59	See Page 61	See Page 62	See Page 63



**BPV-100**



**EV-60-T**



**EV-60-P**

[www.goodway.com](http://www.goodway.com)

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**

# Backpack Vacuum

## BPV-100

The BPV-100 Backpack Vacuum offers **superior mobility** in a comfortable, easy to carry package. It is ideal for cleaning congested areas, stairs, aisles, seats, shelving and other applications where using upright or canister vacuums would be cumbersome. The unit produces a static water lift of 92" and an air displacement of 95 CFM. It comes with an assortment of accessories to match a wide variety of dry applications.

### Features – Benefits

**1½ gallon paper filter collection bag – Large capacity**

**Heavy-duty motor – Strong suction**

**High-impact, molded plastic body – Durable**

**Tool belt – Easy storage of accessories**

### Specifications

<b>Motor Power:</b>	1.2 HP
<b>Input Power:</b>	8 amps, 115 V, 50/60 Hz AC (Optional: 4 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	50', 16-3
<b>Static Water Lift:</b>	92"
<b>Air Displacement:</b>	95 CFM
<b>Dimensions:</b>	22" high x 10" wide x 7" Deep
<b>Weight:</b>	9 lbs



**BPV-100** Backpack Vacuum, 115 V, including disposable paper filter bag, 1½ gallon tank with straps, 4' vinyl crush proof hose, telescoping two piece 36"-53" wand, two adapter cuffs, 10½" rug and floor tool, 5½" upholstery tool, 2½" dusting brush, and 13" crevice tool

#### **Replacement Filter:**

**3203-10** Disposable paper filter bag (package of ten)

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**

# Backpack HEPA Vacuum

## BPV-100H

The BPV-100-H Backpack HEPA Vacuum offers **superior filtration** in a compact package. It is easy to carry and is ideal for critical cleaning in areas where using a large HEPA vacuum would be difficult. The unit produces a static water lift of 92" and an air displacement of 95 CFM. It comes with an assortment of accessories to match a wide variety of dry applications.

### How It Works

When recovering debris, a disposable paper filter collection bag traps the majority of materials – capacity 2½ gallons. Fine particles are filtered to 0.3 microns by a filter protector and a HEPA filter. Only "clean," safe air passes through vacuum exhaust.

### Features – Benefits

**HEPA filter 99.97% efficient at 0.3 microns – Superior filtration**

**Large HEPA filter – Long life**

**2½ gallon paper filter collection bag – Large capacity**

**Heavy-duty motor – Strong suction**

**High-impact, molded plastic body – Durable**

**Tool belt – Easy storage of accessories**



### Specifications

<b>Motor Power:</b>	1.2 HP
<b>Input Power:</b>	8 amps, 115 V, 50/60 Hz AC (Optional: 4 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	50', 16-3
<b>Static Water Lift:</b>	92"
<b>Air Displacement:</b>	95 CFM
<b>Dimensions:</b>	8" diameter tank, 31" high overall
<b>Weight:</b>	15 lbs



**BPV-100H** Backpack HEPA Vacuum, 115 V, including HEPA filter, disposable paper filter bag, 2½ gallon tank with straps, 51" vinyl crush proof hose, two piece 56" wand, 14" rug and floor tool, 5" upholstery tool, 3" dusting brush, and 17" crevice tool

#### Replacement Filter:

**3205-10** Disposable paper filter bag (package of ten)

**3204** HEPA Filter with bottom cap



# Commercial Wet-Dry Vacuum

## EV-30

The **economical** choice for commercial use, the EV-30 Wet-Dry Vacuum features a 1.6 HP motor, an 8.4 gallon stainless steel tank and a full assortment of accessories. It produces a static water lift of 85" and an air displacement of 90 CFM. The unit is ideal for both liquid recovery and dry debris pickup applications.

### Features – Benefits

- Heavy-duty motor – Strong suction**
- Stainless steel tank – Fits any application**
- Liquid shut-off – Prevents overflow**
- Reusable filter – Saves money**
- Cord hook – Easy storage of power supply cord**



### Specifications

<b>Motor Power:</b>	1.6 HP
<b>Input Power:</b>	10 amps, 115 V, 50/60 Hz AC (Optional: 5 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	27', 16-3
<b>Static Water Lift:</b>	85"
<b>Air Displacement:</b>	90 CFM
<b>Dimensions:</b>	13" diameter tank, 28" high overall
<b>Weight:</b>	22 lbs



**EV-30** Commercial Wet-Dry Vacuum, 115 V, including filter, 8.4 gallon stainless steel tank with casters, 8½' vinyl crush proof hose, three piece 52" wand, 16" floor brush, 16" squeegee floor tool, 3" dusting brush, and 9½" crevice tool

**Replacement Filter:**  
**EV-30-FILTER** Polyester Filter

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**

# Commercial Wet-Dry Tilt Vacuum

## EV-60-T

The EV-60-T Twin-Motor Wet-Dry Vacuum features a tilt bar for **easy dumping** of recovered materials. It is equipped with two independent motor switches, allowing the vacuum to run on either one or both motors. With both motors on, the vacuum produces a static water lift of 82" and an air displacement of 120 CFM. The unit comes with a full assortment of accessories for both wet and dry applications.

### Features – Benefits

- Tilt bar – Easy dumping**
- Two heavy-duty motors – Strong suction**
- Independent motor switches – Can run on one or both motors**
- Stainless steel tank – Fits any application**
- Liquid shut-off – Prevents overflow**
- Reusable filter – Saves money**
- Cord hook – Easy storage of power supply cord**



### Specifications

<b>Motor Power:</b>	2 HP
<b>Input Power:</b>	16 amps, 115 V, 50/60 Hz AC (Optional: 8 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	27', 16-3
<b>Static Water Lift:</b>	82"
<b>Air Displacement:</b>	120 CFM
<b>Dimensions:</b>	17" diameter tank, 38" high overall
<b>Weight:</b>	53 lbs



**EV-60-T** Commercial Tilt Wet-Dry Vacuum, 115 V, including filter, 20.6 gallon stainless steel tank with tilt bar, handle, wheels and casters, 8½' vinyl crush proof hose, three piece 52" wand, 16" floor brush, 16" squeegee floor tool, 3" dusting brush, and 9½" crevice tool

#### Optional:

**EV-RV-D** Roll-Vac Attachment with Brush

**EV-RV-W** Roll-Vac Attachment with Squeegee

#### Replacement Filter:

**EV-60-FILTER** Polyester Filter

[www.goodway.com](http://www.goodway.com)

# Commercial Wet-Dry Tilt Vacuum

## EV-60-T

The EV-60-T Twin-Motor Wet-Dry Vacuum features a tilt bar for **easy dumping** of recovered materials. It is equipped with two independent motor switches, allowing the vacuum to run on either one or both motors. With both motors on, the vacuum produces a static water lift of 82" and an air displacement of 120 CFM. The unit comes with a full assortment of accessories for both wet and dry applications.

### Features – Benefits

- Tilt bar – Easy dumping**
- Two heavy-duty motors – Strong suction**
- Independent motor switches – Can run on one or both motors**
- Stainless steel tank – Fits any application**
- Liquid shut-off – Prevents overflow**
- Reusable filter – Saves money**
- Cord hook – Easy storage of power supply cord**



### Specifications

<b>Motor Power:</b>	2 HP
<b>Input Power:</b>	16 amps, 115 V, 50/60 Hz AC (Optional: 8 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	27', 16-3
<b>Static Water Lift:</b>	82"
<b>Air Displacement:</b>	120 CFM
<b>Dimensions:</b>	17" diameter tank, 38" high overall
<b>Weight:</b>	53 lbs



**EV-60-T** Commercial Tilt Wet-Dry Vacuum, 115 V, including filter, 20.6 gallon stainless steel tank with tilt bar, handle, wheels and casters, 8½' vinyl crush proof hose, three piece 52" wand, 16" floor brush, 16" squeegee floor tool, 3" dusting brush, and 9½" crevice tool

#### Optional:

**EV-RV-D** Roll-Vac Attachment with Brush

**EV-RV-W** Roll-Vac Attachment with Squeegee

#### Replacement Filter:

**EV-60-FILTER** Polyester Filter

[www.goodway.com](http://www.goodway.com)



# Commercial Pump-Out Vacuum

## EV-60-P

The EV-60-P Twin-Motor Wet Vacuum is equipped with an internal pump for **controlled discharge** of recovered liquids. It has two independent motor switches, as well as an independent plug for the pump. Recovered liquids can be discharged while vacuuming or pumped out later. With both motors on, the vacuum produces a static water lift of 82" and an air displacement of 120 CFM. The unit comes with a hose, three section wand and a squeegee floor tool to cover a wide variety of wet applications.

### Features – Benefits

- Internal pump – Controlled discharge of liquids**
- Two heavy-duty motors – Strong suction**
- Independent motor switches – Can run on one or both motors**
- Stainless steel tank – Fits any application**
- Liquid shut-off – Prevents overflow**
- Cord hook – Easy storage of power supply cord**



### Specifications

<b>Motor Power:</b>	2 HP
<b>Input Power:</b>	16 amps, 115 V, 50/60 Hz AC (Optional: 8 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	27', 16-3
<b>Static Water Lift:</b>	82"
<b>Air Displacement:</b>	120 CFM
<b>Dimensions:</b>	17" diameter tank, 38" high overall
<b>Weight:</b>	69 lbs



**EV-60-P** Commercial Pump-Out Wet Vacuum, 115 V, including 20.6 gallon stainless steel tank with internal pump, handle, wheels and casters, 8½' vinyl crush proof hose, three piece 52" wand, and 16" squeegee floor tool

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**