

# HEPA Vacuums



**Backpack  
HEPA Vacuum**



**Commercial  
HEPA Vacuum**




**Industrial  
HEPA Vacuum**



**Air Powered  
HEPA Vacuum**



Specifications	BPV-100H	EV-30H	VAC-2-HEPA	DV-AH
<b>Motor(s):</b>	Single	Single	Twin	•
<b>Motor Power:</b>	1.2 HP	1.6 HP	2 <sup>2</sup> / <sub>3</sub> HP (Total)	•
<b>Input Power:</b>	8 Amps, 115 V, 50/60 Hz AC	10 Amps, 115 V, 50/60 Hz AC	18 Amps, 115 V, 50/60 Hz AC	•
	Optional 4 Amps, 230 V, 50/60 Hz AC	Optional 5 Amps, 230 V, 50/60 Hz AC	Optional 9 Amps, 230 V, 50/60 Hz AC	•
<b>Power Supply Cord:</b>	50', 16-3	27', 16-3	37', 14-3	•
<b>Air Requirements:</b>	•	•	•	Minimum 50 PSI at 35 CFM
<b>Static Water Lift:</b>	92"	90"	83"	160" at 90 PSI
<b>Air Displacement:</b>	95 CFM	115 CFM	150 CFM	125 CFM at 90 PSI
<b>Filtration:</b>	1 Microns Paper and 0.3 Microns HEPA	5 Microns Paper 2 Microns Cloth and 0.3 Microns HEPA	5 Microns Paper 15 Microns Cloth, 15 Microns Dacron and 0.3 Microns HEPA	1 Micron Anti-Static Pocket and 0.3 Microns HEPA
	•	•	•	•
<b>Tank:</b>	•	10.6 Gallons Polished Steel	20 Gallons Stainless Steel	9 Gallons Bonderized Steel
<b>Dry Capacity:</b>	2 <sup>1</sup> / <sub>2</sub> Gallons	3.2 Gallons	5 Gallons	9 Gallons
<b>Wet Capacity:</b>	•	•	12 Gallons	•
<b>Noise Level:</b>	65 dBA	78 dBA	74 dBA	76 dBA
<b>Special Features:</b>	Backpack Disposable Collection Bag	HEPA Filter Disposable Collection Bag	HEPA Filter Disposable Collection Bag	Air Powered HEPA Filter External Filter Shaker Roll-Out Tank
	•	•	•	•
<b>Dimensions:</b>	8" Diameter Tank x 31" High	13" Diameter Tank x 38" High	15" Diameter Tank x 40" High	15" Diameter Tank x 51" High
<b>Weight:</b>	15 Lbs	36 Lbs	64 Lbs	97 Lbs
<b>Accessories/Prices:</b>	See Page 60	See Page 69	See Page 70	See Page 71



**BPV-100H**



**VAC-2-HEPA**



**DV-AH**

[www.goodway.com](http://www.goodway.com)

# Commercial Dry HEPA Vacuum

## EV-30H


The EV-30H Dry HEPA Vacuum is the **unit of choice** for commercial dry-only fine particle recovery applications. It produces a static water lift of 90" and an air displacement of 115 CFM. It features a three stage filtration system and a full assortment of accessories to tackle a wide range of applications.

### How It Works

When recovering debris, a disposable paper filter collection bag traps the majority of materials – capacity 3.2 gallons. Fine particles are filtered to 0.3 microns by a filter protector and a HEPA filter. Only "clean," safe air passes through the vacuum's exhaust.

### Features – Benefits

- HEPA filter 99.97% efficient at 0.3 microns – Superior filtration**
- Large HEPA filter – Long life**
- 3.2 gallon paper filter collection bag – Large capacity**
- Plastic bag tank liner – Safe disposal of debris**
- Heavy-duty motor – Strong suction**
- Polished steel tank – Fits any application**
- Cord hook – Easy storage of power supply cord**



Plastic Bag Tank Liner



### Specifications

<b>Motor Power:</b>	1.6 HP
<b>Input Power:</b>	10 amps, 115 V, 50/60 Hz AC (Optional: 5 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	27', 16-3
<b>Static Water Lift:</b>	90"
<b>Air Displacement:</b>	115 CFM
<b>Dimensions:</b>	13" diameter tank, 38" high overall
<b>Weight:</b>	36 lbs
<b>Dry Capacity:</b>	3.2 gallons
<b>HEPA Filter:</b>	Certified 99.97% efficient at 0.3 microns



### Filter System and Air Flow



**EV-30H** Commercial Dry HEPA Vacuum, 115 V, including filters, 10.6 gallon polished steel tank with casters, 8½' vinyl crush proof hose, three piece 52" wand, 16" floor brush, 3" dusting brush, and 9½" crevice tool

#### Replacement Bags and Filters:

- 8050** HEPA Filter
- 8051-12** Paper Filter Collection Bag with plastic bag tank liner (package of twelve)
- 8052** Filter Protector

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**

# Industrial Wet-Dry HEPA Vacuum

## VAC-2-HEPA


The VAC-2-HEPA Wet-Dry HEPA Vacuum is the **safe solution** for most fine particle recovery applications. Equipped with twin-motor power, the VAC-2-HEPA produces a static water lift of 83" and an air displacement of 150 CFM to tackle even the toughest of tasks.

### How It Works

When recovering dry debris, the lower intake is used. A disposable paper filter collection bag traps the majority of material – capacity 5 gallons. Fine particles are filtered to 0.3 microns by a filter protector and a HEPA filter. Only "clean," safe air passes through the vacuum's exhaust. When recovering liquids, the HEPA filter assembly is removed and replaced with a protective float/filter assembly, and the upper intake is used – capacity 12 gallons.

### Features – Benefits

- HEPA filter 99.97% efficient at 0.3 microns – Superior filtration**
- Large HEPA filter – Long life**
- HEPA filter monitor light – Lets operator know when to replace filter**
- 5 gallon paper filter collection bag – Large capacity**
- Plastic bag tank liner – Safe disposal of debris**
- Two heavy-duty motors – Strong suction**
- Exhaust muffler – Only 78 dBA**
- Stainless steel tank – Fits any application**
- Liquid shut-off – Prevents overflow**
- Metal deflector – Will not shatter**
- 1½" or 2" hoses – Versatile**



Plastic Bag Tank Liner



VAC-TOOL-TOTE

**Three-Year  
Limited Warranty**



### VAC-2-55-HEPA Wet-Dry Vacuum

The VAC-2-HEPA Vacuum is available with the HEPA filter assembly, the wet pickup assembly, and an adapter ring for mounting on a 55 gallon drum.

**VAC-2-55-HEPA** Industrial Wet-Dry HEPA Vacuum, 115V, including filters, and 22"-24" diameter drum adapter ring

Note: Vacuums do not include accessories. Order accessory kit shown at right or individual accessories shown on pages 81-84.



**\$1425.00**



VAC-KIT-9-H

### Specifications

<b>Motor Power:</b>	2½ HP
<b>Input Power:</b>	18 amps, 115 V, 50/60 Hz AC (Optional: 9 amps, 230 V, 50/60 Hz)
<b>Power Supply Cord:</b>	37', 14-3
<b>Static Water Lift:</b>	83"
<b>Air Displacement:</b>	150 CFM
<b>Dimensions:</b>	17" diameter tank, 40" high overall
<b>Weight:</b>	64 lbs
<b>Dry Capacity:</b>	5 gallons
<b>Wet Capacity:</b>	12 gallons
<b>HEPA Filter:</b>	Certified 99.97% efficient at 0.3 microns



**VAC-2-HEPA** Industrial Wet-Dry HEPA Vacuum, 115 V, including filters and 20 gallon stainless steel tank with casters

Note: Vacuums do not include accessories. Order VAC-KIT-9-H or individual accessories shown on pages 81-84.

**VAC-KIT-9-H** 1½" HEPA Vacuum Accessory Kit: 15' Smooth Bore PVC Hose, 54" Double Bend Wand, 54" Extension Tube, 5' Extension Tube, 14" Nylon Floor Brush, 14" Squeegee Floor Tool, 14" Rough Surface Fiber Shod Floor Tool, 8" Wall and Overhead Brush, and 27" Steel Crevice Tool

**Optional:**  
**VAC-TOOL-TOTE** Durabond Tool Storage Pouch

**Replacement Bags and Filters:**  
**1811** Filter Protector

**VA-1084-12** Paper Filter Collection Bag with plastic bag tank liner (package of twelve)

**VAC-P-52** Waterguard Filter

**VAC-P-88** HEPA Filter Assembly

# Air Powered Dry HEPA Vacuum

## DV-AH

The **unique** DV-AH Air Powered Dry HEPA Vacuum combines a powerful venturi with an ultra-efficient HEPA filter for extreme fine particle recovery applications. An anti-static pocket prefilter traps particles as small as 1 micron to help extend the life of the HEPA filter, 99.999% efficient at 0.3 microns. It can produce a static water lift of 160" and an air displacement of 125 CFM. The unit features an external filter shaker to keep the filters clear and a detachable collection tank which can be wheeled out from under the vacuum without removing the vacuum head or filters.

### How It Works

When recovering debris, the large containment tank traps the majority of materials – capacity 9 gallons. Fine particles are filtered to 0.3 microns by an anti-static pocket prefilter and a HEPA filter. Only "clean," safe air passes through vacuum exhaust.

### Features – Benefits

- Air powered – Shock resistant**
- HEPA filter 99.999% efficient at 0.3 microns – Superior filtration**
- Large HEPA filter – Long life**
- Anti-static pocket prefilter – Helps extend life of HEPA Filter**
- Detachable roll-out collection tank – Easy dumping**
- External filter shaker – Keeps filters clear**
- Tool basket – Easy storage of accessories**
- 1½", 2" or 3" hoses – Versatile**



### Specifications

<b>Air Requirements:</b>	Minimum 50 PSI at 35 CFM, Maximum 90 PSI at 50 CFM
<b>Air Line:</b>	½" I.D. or larger
<b>Static Water Lift:</b>	160" at 90 PSI
<b>Air Displacement:</b>	125 CFM at 90 PSI
<b>Dimensions:</b>	15" diameter tank, 51" high overall
<b>Weight:</b>	97 lbs
<b>Dry Capacity:</b>	9 gallons
<b>HEPA Filter:</b>	Certified 99.999% efficient at 0.3 microns



DA-HF



DA-PF-16A



**DV-AH** Air Powered Industrial Dry HEPA Vacuum, including filters, external filter shaker, 9 gallon detachable tank with handles, casters and tool basket – **call for customization options and prices**

Note: Vacuums do not include accessories. Order individual accessories shown on pages 81-84.

#### Replacement Filters:

- DA-HF** HEPA Filter
- DA-PF-16A** Anti-Static 1 Micron Pocket Filter

[www.goodway.com](http://www.goodway.com)

**For Sales Call: +1-203-359-4708**  
**Fax: +1-203-359-9601**

HEPA VACUUMS